



# Block Kote

## MATERIAL SAFETY DATA SHEET

**TRANSPORTATION EMERGENCY**

CALL CHEMTREC: 800-424-9300  
INTERNATIONAL: 703-527-3887

**NON-TRANSPORTATION**

ULTRAKOTE EMERGENCY PHONE: (602) 272-5830  
ULTRAKOTE INFORMATION PHONE: (602) 272-5830

**1. CHEMICAL PRODUCT IDENTIFICATION:**

PRODUCT NAME.....: Block Kote  
PRODUCT CODE.....: #####  
CHEMICAL FAMILY.....: Cementitious  
CHEMICAL NAME.....: Cement Plaster  
SYNONYMS.....: Cement Plaster, Block Coating, Leveling Plaster

**2. COMPOSITION/INFORMATION ON INGREDIENTS:**

INGREDIENT NAME	CAS NUMBER	TLV-PEL EXPOSURE LIMIT	BY WEIGHT
Calcium Hydroxide	1305-62-0	5.0 mg/m <sup>3</sup>	<15%
Silica, Quartz	14808-60-7	0.1 mg/m <sup>3</sup>	<70%
Magnesium Hydroxide	1309-42-8	N.E.	<10%
Portland Cement	65997-15-1	15.0 mg/m <sup>3</sup>	<25%

**3. HAZARDS IDENTIFICATION:**

POTENTIAL HEALTH EFFECTS:

ROUTE(S) OF ENTRY.....: Inhalation; Skin Contact; Eye Contact; Ingestion.

HUMAN EFFECTS AND SYMPTOMS OF OVEREXPOSURE:

ACUTE INHALATION.....: May cause respiratory tract irritation.

CHRONIC INHALATION.....: This product contains silicon dioxide (quartz) which has been listed as a suspected human carcinogen by NTP and IARC.

ACUTE SKIN CONTACT.....: May cause irritation.

CHRONIC SKIN CONTACT.....: This product contains silicon dioxide (quartz) which has been listed as a suspected human carcinogen by NTP and IARC.

ACUTE EYE CONTACT.....: May cause irritation.

CHRONIC EYE CONTACT.....: Severely irritating. If not removed promptly, will injure eye tissue, which may result in permanent damage.

ACUTE INGESTION.....: Irritating to mouth, throat and stomach.

CHRONIC INGESTION.....: Irritating to mouth, throat and stomach.

CARCINOGENICITY.....: This product contains silicon dioxide (quartz) which has been listed as a suspected human carcinogen by NTP and IARC.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE.....: None Known

**Continued on page 3**

**4. FIRST AID MEASURES:**

FIRST AID FOR EYES.....: Flush eye with water for 15 minutes. Get medical attention.

FIRST AID FOR SKIN.....: Remove contaminated clothing and shoes. Wash affected area(s) thoroughly with soap and water. If irritation persists, seek medical attention.

FIRST AID FOR INHALATION...: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get immediate medical attention.

FIRST AID FOR INGESTION: If swallowed, DO NOT induce vomiting. Give victim one glass of water. Call a physician or poison control center immediately never give anything by mouth to an unconscious person. Should vomiting occur, be sure to keep victims head below hips to avoid aspiration of vomit into lungs.

NOTES TO PHYSICIAN.....: None

**5. FIRE FIGHTING MEASURES:**

FLASH POINT: .....: N.A.

FLAMMABLE LIMITS.....: UPPER EXPLOSIVE LIMIT (UEL)(%): Not Established  
LOWER EXPLOSIVE LIMIT (LEL)(%): Not established

AUTO-IGNITION TEMPERATURE...: Not Determined

EXTINGUISHING MEDIA:.....: CO<sub>2</sub>, Dry Chemical, Alcohol, Foam, Water, Fog

SPECIAL FIRE FIGHTING PROCEDURE...: Containers exposed to fire should be kept cool with water spray. Wear self contained breathing apparatus pressure-demand (MSHA/NIOSH approved or equivalent) and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES:**

SPILL OR LEAK PROCEDURES.: Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Repeat sorbet/sweep cycle until the spill has dried up. Avoid run off to storm sewers or ditches which lead to waterways.

**7. HANDLING AND STORAGE:**

STORAGE TEMPERATURE (MIN/MAX)...: 40°F - 100°F

SHELF LIFE.....: 12 Months

SPECIAL SENSITIVITY.....: None Known.

HANDLING/STORAGE PRECAUTIONS....: Use only in well ventilated area. Keep container closed when not in use.

**8. PERSONAL PROTECTION:**

REQUIRED WORK/HYGIENE PROCEDURES: Do not take internally. Wash thoroughly after handling. Remove contaminated clothing wash before reuse. Avoid breathing vapors from heated material. Avoid contact to eyes, skin, and clothing.

EYE PROTECTION REQUIREMENTS.: Eye goggles.

SKIN PROTECTION REQUIREMENTS.: Wear gloves (natural, supported PVC, neoprene or nitrile rubber). Clean protective clothing.

VENTILATION REQUIREMENTS: Local exhaust ventilation may be necessary to control any air contaminants to within their TLVs during the use of this product.

RESPIRATOR REQUIREMENTS: Wear NIOSH/MSHA approved respiratory protection when mixing or applying in a poorly ventilated area or if work place levels of ingredients exceed the TLV. Follow all federal, state, and local regulations.

**9. PHYSICAL AND CHEMICAL PROPERTIES:**

PHYSICAL FORM.....: Powdered Solid  
COLOR.....: Gray  
ODOR.....: Mild Acrylic  
ODOR THRESHOLD.....: N.D.  
MOLECULAR WEIGHT.....: N.E.  
pH .....: 11.0 - 13.0 s.u. (wet)  
BOILING POINT.....: N.A.  
MELTING/FREEZING POINT.....: N.A.  
VISCOSITY.....: N.D.  
SOLUBILITY IN WATER .....: Appreciable  
SPECIFIC GRAVITY .....: 2.60 - 2.75 g/cc  
VAPOR PRESSURE .....: N.E.  
VAPOR DENSITY .....: N.A.  
VOC BY WEIGHT .....: 0.0 grams/liter

**10. STABILITY AND REACTIVITY:**

STABILITY.....: This product is stable under normal storage conditions.

HAZARDOUS POLYMERIZATION...: Will not occur under normal conditions.

INCOMPATIBILITIES.....: Avoid contact with strong oxidizing agents and acidic agents, strong Lewis or mineral acids.

INSTABILITY CONDITIONS.....: None Known

DECOMPOSITION PRODUCTS.....: Smoke may be acrid and fume irritating. Burning generates CO, CO<sub>2</sub>, and smoke. Not an Oxygen donor.

**11. TOXICOLOGICAL INFORMATION:**

ACUTE TOXICITY

ORAL LD50.....: Calcium Hydroxide 7340mg/kg

DERMAL LD50.....: Not Determined.

INHALATION LC50.....: Not Determined.

EYE EFFECTS.....: Not Determined.

SKIN EFFECTS.....: Not Determined.

SENSITIZATION.....: Not Determined.

OTHER ACUTE EFFECTS.....: Not Determined.

OTHER TOXICITY DATA.....: Not Determined.

**12. ECOLOGICAL INFORMATION:**

NO ECOLOGICAL INFORMATION AVAILABLE.

**13. DISPOSAL CONSIDERATIONS**

WASTE DISPOSAL METHOD.....: Waste must be disposed of in accordance with federal, state and local environmental control regulations.

**14. TRANSPORTATION INFORMATION:**

TECHNICAL SHIPPING NAME.....: Cement Plaster

FREIGHT CLASS BULK.....: N.A.

FREIGHT CLASS PACKAGE.....: N.A.

PRODUCT LABEL.....: N.A.

DOT (DOMESTIC SURFACE)

PROPER SHIPPING NAME.....: Cement Plaster

HAZARD CLASS OR DIVISION .....: N.A.

UN/NA NUMBER. ....: N.A.

PACKING GROUP .....: N.A.

DOT PRODUCT RQ lbs (kgs) .....: N.A.

HAZARD LABEL(s) .....: N.A.

HAZARD PLACARD(s).....: N.A.

**14. TRANSPORTATION INFORMATION: (Continued)**

IMO / IMDG CODE (OCEAN)

HAZARD CLASS DIVISION NUMBER.....: N.A.

ICAO / IATA (AIR)

HAZARD CLASS DIVISION NUMBER.....: N.A.

**15. REGULATORY INFORMATION:**

OSHA STATUS.....: Hazardous by definition of Hazard Communication Standard  
(29 CFR 1910.1200)

TSCA STATUS.....: This product contains chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

SARA TITLE III

SECTION 302

EXTREMELY HAZARDOUS MATERIAL.....: None

SECTION 311/312

HAZARD CATEGORIES.....: None

SECTION 313

TOXIC CHEMICALS.....: No SARA Section 313 components exist in this product.

<u>COMPONENT NAME</u>	<u>CAS NUMBER</u>	<u>CONCENTRATION</u>	<u>STATE CODE</u>
Silica, quartz	14808-60-7	<70.0%	CA, MA

**CALIFORNIA PROPOSITION 65**

WARNING: The chemical (s) noted above are contained in this product are known to the state of California to cause cancer, birth defects, or other reproductive harm.

**MASSACHUSETTS SUBSTANCE LIST (MSL)**

Hazardous Substances and Extraordinarily Hazardous Substances on the MSL must be identified when present in products. To the best of our knowledge, this product contains substances listed above, at a level which could require reporting under the statute.

**Continued on page 7**

**16. OTHER INFORMATION:**

HMIS RATINGS:            Health    Flammability    Reactivity  
                                  2\*                0                0

0=Minimal 1=Slight 2=Moderate 3=Serious 4=Severe

\*=Chronic Health Hazard

ULTRAKOTE method of hazard communication is comprised of Product Labels and Material Safety Data Sheets. HMIS ratings are provided by ULTRAKOTE as a customer service.

REASON FOR ISSUE.....: REVISION OF FORMAT

PREPARED BY.....: A.D. Skelhorn.

ISSUE DATE.....: 10/23/2006

SUPERSEDES DATE.....: 02/02/2000

MSDS NUMBER. ....: #####

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of ULTRAKOTE. The data on this sheet relates only to the specific material designated herein. ULTRAKOTE assumes no legal responsibility for use or reliance upon this data.

Product Code: #####

Approval date: 10/23/2006