## **SAFETY DATA SHEET**



### **Ultrakote1 Premix**

**As of date:** March 27, 2021

Section 1 Product Description

Product Name: Ultrakote 1 Premix Recommended Use: Cement stucco

Synonyms: One coat stucco, cement stucco, one coat stucco pre-mix, OCS pre-mix

Manufacturer: Ultrakote Products, dba Ultrakote

327 S 27th Ave, Phoenix, AZ 85009, USA

602-272-5830

www.ultrakoteproducts.com

General Phone Number: 602-272-5830 (7am-4pm, AZ Std Time, M-F)

General Fax Number: 602-272-6445

Section 2 Hazards Identification

Classification of the chemical in accordance with paragraph (d) of 1910.1200;







Signal Word: Danger

GHS Class: Serious Eye Damage/Eye Irritation, Category 1,

Skin Corrosion/Irritation, Category 2

Skin Sensitizer/Allergic skin reaction, Category 1 Carcinogen/May cause cancer if inhaled, Category 1A,

Damage to organs through prolonged or repeated exposure if inhaled, STOT RE 1

Hazard Statements: H100s = General, H200s = Physical, H300s = Health, H400s = Environmental

H315 Causes skin irritation.

H317 may cause an allergic skin reaction. H318 Causes serious eye damage. H350A May cause if inhaled.

H372 Causes damage to organs through prolonged or repeated exposure if inhaled.

Precautionary Statements: P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood

P260B - Do not breathe dust.

P264.2 - Wash hands thoroughly after handling.

P270 - Do not eat, drink, or smoke when using this product

P272 – Contaminated work clothing should not be allowed out of the workplace. P280 – Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352A1- IF ON SKIN: Wash with plenty of water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses if present and easy to do - continue rinsing.

P308+P313 – If exposed or concerned: Get medical advice/attention.

P310A - Call a POISON CENTER or doctor/physician. P314 - Get medical advice/attention if you feel unwell.

P321A - Specific Treatment, (see supplementary instructions on the label)

P337+313 – If exposed or concerned: Get medical attention. P362+P364 - Take off contaminated clothing and wash before use.

P405 - Store locked up.

P501A - Dispose of contents/container in accordance with Local, State, Federal and Provincial regulations.

Ingredients(s) with unknown acute toxicity: None

Hazards not otherwise classified identified during the classification process: None

### Section 3 Composition Information and Ingredients

#### Mixture:

Component Name	CAS#	_WT %	<u>Classification</u>
Portland Cement	65997-15-1	20 - 30%	STOT SE 3, H335: Eye Dam 1,H318 Skin Sens. 1,
			H317; Skin Irrit. 2 H315
Silica Sand	14808-60-7	70 - 80%,	Carc. 1A, H350A, STOT RE 1, H372A
Calcium Hydroxide	1305-62-0	3 - 5%	Not classified
Calcium sulfate	7778-18 -9	1 - 5%	STOT SE 3, H335:

### Section 4 First-Aid Measures

### **Emergency and First Aid Procedures**

**Inhalation:** Remove casualty to fresh air and keep at rest. If breathing is irregular or stopped, administer

artificial respiration. In case of inhalation, consult a doctor immediately and show him packing or

label.

**Eyes:** IF IN EYES: Rinse cautiously with water with the eyelids open for a sufficient length of time.

Remove contact lenses, if present and easy to do. Continue rinsing. If irritation continues, then get

medical advice/attention immediately. Protect uninjured eye.

Skin Contact: IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical

advice/attention. Take off contaminated clothing and wash before reuse.

Ingestion: If swallowed, do not induce vomiting: seek medical advice immediately and show this container or

label.

Most Important symptoms/effects, acute and delayed:

Eye Irritation
Eye damages
Skin Irritation
Ervthema

Indication of any immediate medical attention and special treatment needed:

In case of accident or unwellness, seek medical advice immediately (show directions for use or

safety data sheet if possible).

### Section 5 Fire Fighting Measures

**Extinguishing Media:** Use carbon dioxide, or water spray when fighting fires involving this material.

Fire Fighting Methods and Protection: Firefighters should wear full protective equipment and NIOSH approved self-

contained breathing apparatus.

Fire and/or Explosion Hazards: Do not inhale explosion and combustion gases. Burning produces heavy

smoke.

Hazardous Combustion Products: N.A.
Explosive properties: N.A.
Oxidizing properties: N.A.

Special protective equipment and precautions for fire-fighters:

Use suitable breathing apparatus.

Collected contaminated fire extinguishing water separately. This must not be

discharged into drains.

Move undamaged containers from immediate hazard area if it can be done

safely.

#### Section 6 **Accidental Release Measures**

Steps to Take in Case Material Is Released or Spilled:

Wear personal protection equipment. Wear breathing apparatus if exposed to vapors/dusts/aerosols. Provide adequate ventilation. Use appropriate

respiratory protection. See protective measures under section 7 and 8. Ventilate

the contaminated area.

Suitable material for taking up: absorbing material, organic, sand. Wash with

plenty of water.

#### **Section 7 Handling and Storage**

Handling: Avoid contact with skin and eyes, Inhalation of vapors and mists.

Exercise the greatest care when handling or opening the container. Use localized ventilation system. Don't use empty container before they have been cleaned. Before making transfer operations, assure that there aren't any incompatible material residuals in the containers. Contaminated clothing should be changed before entering eating areas. Do not eat or drink while working. See also section 8 for recommended protective equipment. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face

protection.

Storage: Keep dry. Keep container tightly closed & upright when not in use to

prevent leakage.

**Storage Code:** N.A.

#### **Section 8 Exposure Controls / Personal Protection**

List of components with OEL value

Component	OEL Type Country	Ceiling	Long Term mg/m3	Long Term ppm	Short Term mg/m3	Short Term ppm	Behavio	<u>Note</u>
Silica Sand	ACGIH		0.25					A2-SupsectedHuman Carcinogen; lung cancer, pulmonary fibrosis
Portland cement	ACGIH		1.0					A4- Not classifiable as a Human Carcinogen; pulmonary function: respiratory symptoms: asthma; nasal symptoms

Calcium Hydroxide ACGIH 10

**Control Parameters** 

**Engineering Measures:** General room ventilation might be required to maintain operator comfort

under normal conditions of use. Avoid generating airborne dust

Personal Protective Equipment (PPE):

Respiratory Protection: Respirator Type(s):

Eve Protection: Skin Protection:

No respiratory protection required under normal conditions of use. Use NIOSH approved air purifying respirator with dust filter.

Wear close fitting safety glasses or goggles when handling this product. Avoid skin contact by wearing clothing that provides comprehensive protection.

Wash hands and other exposed areas with mild soap and water before eating,

drinking, and when leaving work.

Gloves: PVC, neoprene, rubber, ntrile

#### **Physical and Chemical Properties** Section 9

Appearance: Solid, Grav Powder

Odor: Odorless Odor Threshold: None

pH (Neutrality): 13.0 - 14.0 s.u.

Melting Point/Freezing Point: N.A.

Boiling Range (lbp,50%,Dry Point): N.A. Flash Point (Test Method): N.A.

**Evaporation Rate** 

(n-Butyl Acetate=1): N.A. Flammability Classification: N.A.

Lower Flammable

Limit in Air (% by vol): N.A.

Upper Flammable

Limit in Air (% by vol):

Vapor Pressure (mm of Hg)@20 C:

VAPOR DENSITY (Air=1):

N.A.

GRAVITY @ 68/68F / 20/20C:

Specific Gravity (Water=1): 2.33 g.cm3 Pounds/Gallon: N.A.

Pounds/Gallon: N.A.
Water Solubility: N.A.
Partition Coefficient (n-Octane/Water): N.A.
Auto Ignition Temperature: N.A.
Decomposition Temperature: N.A.

Other Information

Substance Groups relevant properties N.A.
Miscibility: N.A.
Fat Solubility: N.A.
Conductivity: N.A.

### Section 10 Stability and Reactivity

Reactivity: Stable under normal conditions.

Chemical Stability: Stable under normal storage conditions. Keep in dry storage. Possibility of Hazardous Reaction: No dangerous reaction known under conditions of normal use.

Conditions to Avoid: Stable under normal conditions.

Incompatible Materials: None in particular

Hazardous Decomposition Products: None

### Section 11 Toxicological Information

Toxicological Information of the mixture:

There is no toxicological data available on the mixture. Consider the individual concentrations of each component to assess toxicological effects resulting from exposure to the mixture.

Toxicological Information on the main components of the mixture:

Silica Sand a) acute toxicity LD50 (Oral): 500 mg/kg (Rat)

Calcium sulfate a) acute toxicity LD50 (Oral): 3000 mg/kg (Rat)

If not differently specified, the information required in the regulation and listed below must be considered NA.

a) acute toxicity

b) skin corrosion/irritation

c) serious eye damage/irritation

d) respiratory or skin sensitization

e) germ cell mutagenicity

f) carcinogenicity

g) reproductive toxicity

h) STOT - single exposure

I) STOT -repeated exposure

J) aspiration hazard

Substance(s) listed on the IARC Monographs:

Silica Sand Group 1

Substance(s) listed as OSHA Carcinogen(s):

Silica Sand

Substance(s) listed as NIOSH Carcinogen(s):

Silica Sand

Substance(s) listed on the NTP report on Carcinogens:

Silica Sand

Section 12 Ecological Information

**Overview:** Adopt good working practices, so that the product is not released into the environment.

**Ecotoxicity:** 

70-80%, Silica Sand 14808-60-7 LC 50 a) Aquatic acute toxicity carp >10000.00000 mg/L 72h

1-5 %, Calcium sulfate 7778-18 -9 LC 50 a) Aquatic acute toxicity Fish Lepomis macrochirus =2980mg/L 96h EPA

LC 50 a) Aquatic acute toxicity Fish Pimephales promelas > 1970mg/L 96h EPA

Persistence and degradability: The polymeric component is not expected to biodegrade.

Bioaccumulative potential: No data
Mobility in soil: No data
Other Adverse Effects: No data

Section 13 Disposal Considerations

**Disposal Methods:** Dispose in accordance with all applicable Federal, State and Local regulations. Always

contact a permitted waste disposer (TSD) to assure compliance.

Waste Disposal Code(s): Not Determined

Section 14 Transport Information

UN number

ADR-UN number: N/A
DOT-UN number: N/A
IATA-UN number: N/A
IMDG-UN number: N/A

UN proper shipping name

ADR-Shipping Name: N/A
DOT Proper Shipping Name: N/A
IATA-Technical name: N/A
IMDG-Technical name: N/A

Transport hazard class(es)

ADR- Class: N/A
DOT Hazard Class: N/A
IATA- Class: N/A
IMDG-Class: N/A

Packing group

ADR Packing Group:

N/A

DOT-PackIng group:

N/A

IATA-Packing group:

N/A

IMDG-Packing group:

N/A

Environmental hazards

Marine pollutant: No Environmental Pollutant: N.A.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC code:

N.A.

**Special Precautions** 

Department of Transportation (DOT):

DOT-Special Provision(s): N/A
DOT Label(s): N/A
DOT Symbol: N/A

DOT Cargo Aircraft: N/A **DOT Passenger Aircraft:** N/A DOT Bulk: N/A DOT Non-Bulk: N/A Road and Rail (ADR-RID): N/A ADR-Label: ADR Hazard identification number: N/A ADR Tunnel Restriction Code: N/A Air (IATA): IATA- Passenger Aircraft: N/A IATA- Cargo Aircraft : N/A IATA- Label: N/A IATA- Subrisk: N/A IATA- Erg: N/A IATA- Special Provisions: N/A Sea (IMDG): IMDG -Stowage Code: N/A IMDG -Stowage Note: N/A IMDG -Subrisk: N/A IMDG -Special Provisions: N/A IMDG -Page: N/A

### Section 15 Regulatory Information

### **USA - Federal regulations**

IMDG -Label:

IMDG -EMIS:

IMDG -MFAG:

TSCA • Toxic Substances Control Act

TSCA Inventory:

All the components are listed on the TSCA inventory

N/A

N/A

N/A

TSCA listed substances:

Silica Sand is listed in TSCA Section 8b Portland cement is listed in TSCA Section 8b Calcium sulfate is listed in TSCA Section 8b

SARA - Superfund Amendments and Reauthorization Act

Section 302 – Extremely Hazardous Substances: no substance listed

Section 304 –Hazardous substances: no substance listed Section 313 – Toxic chemical list: no substance listed

CERCLA - Comprehensive Environmental Response, Compensations, and Liability Act

Substance(s) listed under CERCLA: no substance listed

CAA – Clean Air Act

CAA Substances listed: no substance listed

CWA - Clean Water Act

CWA Substances listed: no substance listed

### USA - state specific regulations

California Proposition 65

Substance(s) listed under California Proposition 65

Silica Sand listed as carcinogen

Massachusetts right to know

Substance(s) listed under Massachusetts Right to Know;

Silica Sand

Portland cement Calcium sulfate

Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to Know;

Silica Sand Portland cement Calcium sulfate

New Jersey Right to know

Substance(s) listed under New Jersey Right to Know;


Silica Sand Portland cement Calcium sulfate

### Section 16 Other Information

This information is intended solely for the use of individuals trained in the NFPA & HMIS hazard rating systems.

NFPA:

HMIS III:





- 0 = not significant, 1 =Slight,
- 2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

HMIS Health: 2 = MODERATE

HMIS Health - Is health hazard chronic?: Yes

HMIS Flammability: 0 = Not Combustible

HMIS Reactivity: 0 = MINMAL

HMIS P.P.E.: Safety glasses, gloves, dust respirators

NFPA Health: 2 = MODERATE
NFPA Flammability: 0 = Not Combustible

NFPA Reactivity: 0 = MINIMAL

NFPA Special Risk: NONE

Code	Description
H315	Causes skin irritation.

H317 May cause an allergic skin reaction.
 H318 Cause serious eye damage.
 H335 May cause respiratory irritation.
 H350A May cause cancer if inhaled

H372A Causes damage to organs through prolonged or repeated exposure if inhaled

The information provided in this (Material) Safety Data Sheet represents a compilation of data drawn directly from various sources available to us. Texrite makes no representation or guarantee as to the suitability of this information to a particular application of the substance covered in the (Material) Safety Data Sheet.

### Glossary

ACGIH -American Conference of Governmental DOT -U.S. Department of Transportation Industrial Hygienists IARC -International Agency for Research on

CAS -Chemical Abstract Service Number Cancer

CERCLA -Comprehensive Environmental Response, N/A -Not Available

Compensation, and Liability Act NTP -National Toxicology Program

OSHA -Occupational Safety and Health -Superfund Amendments and SARA Administration Reauthorization -Permissible Exposure Limit PEL TLV -Threshold Limit Value -Parts per million -Toxic Substances Control Act ppm TSCA RCRA -Resource Conservation and Recovery Act -Immediately dangerous to life and IDLH health

# **End of Safety Data Sheet**